

ASSESSMENT OF COMMON WHEAT QUALITY IN ROMANIA IN THE CONTEXT OF CLIMATE CHANGE - MINIREVIEW

Valeria Gagiu^{1*}, Elena Mateescu², Nastasia Belc¹

¹ National Research&Development Institute for Food Bioresources— IBA Bucharest, Bucharest, Romania

² National Meteorological Administration (Meteo—Romania), Bucharest, Romania

* Corresponding author:

National Research&Development Institute for Food Bioresources— IBA Bucharest
5 Băneasa Ancuța Street, CP 020323, s 2,
Bucharest, ROMANIA
Tel/Fax: 031.620.58.33/34/35
E-mail: valeria.gagiu@bioresurse.ro

<http://www.doi.org/10.54574/RJPP.16.01>

Abstract: The study aimed to assess common wheat quality in Romania in the context of climate change to identify adaptation measures and ensure the sustainability of the agri-food system. The negative effects of extreme weather events on cereals are manifested starting from the field by affecting the quantitative and qualitative crop indicators, which leads to the decrease of the trade indicators and, therefore to a potential threat for regional agri-food suppliers. The research put a special emphasis on common wheat grown in agricultural regions with a high risk of contamination with the fungi *Fusarium* spp. and mycotoxin deoxynivalenol. Scientific results will contribute to raising awareness of the climate change effects on the agri-food chain by beneficiaries in scientific research, agricultural production, trade and regulatory authorities. Scientific data are inputs for future projects on the use of artificial intelligence in agriculture and the establishment and/or updating of the risk envelope in the agri-food sector.

Keywords: wheat indicators, bread wheat quality, risk assessment, climate change

Common wheat known as bread wheat (*Triticum aestivum*) is used in the baking industry and is grown in areas with subtropical, Mediterranean, oceanic and continental climates (30–60 °N and 25–40 °S) (Chen & Chen, 2013; Khadka et al., 2020; Gagiu et al., 2021, 2022; FAO, 2023). From 1961 to 2020, the distribution of average wheat production varied between continents (Asia 38.1%, Europe 36.8%, Americas 19%, Oceania 3.2%, and Africa 2.9%), and the top ten growers were the People's Republic of China, the Former Soviet Union, the United States of America, India, the Russian Federation, France, Canada, Ukraine, Turkey and Australia. In Romania, the cultivation of common wheat contributes to the security and sustainability of the agri-food system, which occupies an important place in the country's economy. In 2020, the area harvested with wheat was 3,042,600 hectares, with a production of 10,297,110 tons and a productivity of 4,891 kg/ha. Due to these wheat harvest indicators, Romania was included in Group I of global producers (production >5,185,500 tons) in 2020 and Group II of producers with an average production ≤10,960,516.07 tons in the period 1961–2020 (FAO, 2023). In 2021, Romania led the list of wheat exporters in the Black Sea area, competing with Ukraine and Russia (Nițu, 2022a, 2022b).

Romania's climate is temperate continental, determined by its geographical position (46 °N, 25 °E), the disposition of the Carpathian Mountains and the vicinity of the Black Sea and the Danube River. Additionally, the positioning of the country in the area of intersection of Atlantic, Mediterranean, Pontic, continental and arctic air masses determines a humid climate in Transylvania, a humid-balanced climate in the Southern Hilly Area, a sub-humid climate in the Western Plain and Oltenia Plain, a semi-arid climate in Moldavia and the Southern Plain

and an arid climate in Dobrogea (Păltineanu et al., 2007; Gagiú et al., 2022, 2021). From 1901 to 2015, the multiannual average air temperature increased by 0.6°C and the annual precipitation decreased, especially in the last 30 years with extremely hot, dry or rainy years (Busuioc et al., 2012; Polifronie, 2014; Mateescu, 2016; Covaci et al., 2016; Oprea et al., 2018). Climate change forecasts indicated an increase in air temperature and a decrease in precipitation in the east of the Southern Plain, Oltenia Plain and southern Moldavia, while changes in the Western Plain and sub-Carpathian regions will not be evident (Busuioc et al., 2012).

Climate change leads to the occurrence of weather events that are classified as extreme (heavy precipitation, floods, heatwaves, drought, extratropical or tropical cyclones, frost waves, heavy snowfall, storms, tornadoes, ice or hailstorms) when they have values of meteorological importance, such as low frequency of occurrence, magnitude, temporal duration, spatial scale and multivariate dependencies, and that cause loss of life and economic damages (Stephenson, 2008). The occurrence of extreme weather events leads to significant decreases in wheat productivity (Mäkinen et al., 2018). Projections regarding the effect of global climate change on agriculture foresee a decrease in the productivity of wheat, maize and other nine major crops in the period 2046–2055 compared to the period 1996–2005 (World Bank, 2010). However, global warming by the year 2100 will cause an increase in cultivated areas and wheat crop productivity in regions with a colder climate at present (Canada, the northern United States, Central Asia, northern China, eastern Africa and southern Australia) (NASA, 2021; Gagiú et al., 2022). In Europe, forecasts up to 2050 have shown that drought caused by climate change will reduce crop productivity and short-term water stress during flowering will be the critical factor limiting current productivity potential (Senapati et al., 2021). The increase in air temperature will increase the risk of contamination of wheat with toxigenic fungi of the genus *Fusarium* in Northern and Eastern Europe and with toxigenic fungi of the genera *Aspergillus* and *Penicillium* in Western, Southern and Southeast Europe (Battilani et al., 2016; Gagiú et al., 2021, 2022). This evolution is because chemotypes and species of toxigenic fungi and the appearance of mycotoxins in cereals have a geographical distribution that is correlated with agroclimatic conditions (Pasquali et al., 2016; Gagiú et al., 2018, 2021, 2022).

Depending on the intensity and frequency of extreme weather events, grain harvest indicators are affected, with a negative effect on national and international food safety and security (Horn et al., 2022; Pickson & Boateng, 2022; Long et al., 2022). We recall that global food security is accentuated by the war between Ukraine and Russia, which are two of the top ten wheat growers globally (Ben Hassen & El Bilali, 2022; World Food Programme, 2022; World Grain, 2022; FAO, 2023). Due to climate change, war situations or the occurrence of other critical events, each country must assess its economic fields, realize the risk envelope, make forecasts, and identify and implement measures to prevent and counter the negative effects. Currently, there is a special emphasis on research that uses historical data to carry out complex research and long-term forecasts, which can be used to identify adaptation measures and develop political strategies for the sustainability of the agri-food system (Fusco, 2022; Long et al., 2022; Preiss et al., 2022). It should be noted that affecting food safety and security is a threat to the national security of each country (Näther & Theuvsen, 2012; Puri et al., 2019). Currently, special emphasis is placed on the use of the digital economy, geospatial technologies and artificial intelligence (García-Berná et al., 2020; Weiss et al., 2020; Mathenge et al., 2020; Hara et al., 2021; Vojnov et al., 2022; Elahi et al., 2022; Javaid et al., 2023).


The quality of grain harvests depends on cultivated varieties, applied agricultural technologies, regional agroclimatic conditions and meteorological events recorded each year (Edwards, 2004; West et al., 2012; Schmidt et al., 2016; Góral et al., 2019; Gagiú et al., 2021, 2022). The determination of the selling price at the producer and the marketing of the wheat take place after the crop grading process is carried out based on quantitative and qualitative

analyses (ISO, 2007, 2009b, 2009a, 2013, 2019; ICC 1994a, 1994b). The Romanian wheat grading programme includes four grades: I – very good wheat; II – good wheat; III – satisfactory wheat and IV – unsatisfactory wheat; these represent criteria for establishing the selling price (Tamba-Berehoiu et al., 2012; MADR, 2017; Gagiú et al., 2022). Contamination of wheat crops with toxigenic fungi harms the physico-chemical indicators, the chemical composition of the grain and wheat flour through the degradation of starch and gluten protein fractions, but also on the sensory and technological properties (Wang et al., 2005; Siuda et al., 2010; Eggert et al., 2011; Kreuzberger et al., 2015; Schmidt et al., 2016; Gagiú et al., 2022). To assess the impact of climate change on the quantitative, qualitative and commercial indicators of wheat crops, implicitly on the food and bakery industry, it is necessary to evaluate all the data recorded for as many years as possible, so that risk prevention measures and the sustainability of the agri-food system can be established.


The study aimed to assess the spatial and temporal evolution of the quality of common wheat (bread wheat) in Romania in the context of climate change, to identify adaptation measures and ensure the sustainability of the agri-food system.

The temporal evolution of the quantitative and trade indicators of wheat crops in Romania during 1961–2020 was evaluated in the context of the meteorological conditions recorded in this period. The annual data of the quantitative indicators of the wheat harvests in Romania were imported from the database of the Food and Agriculture Organization of the United Nations (FAO) and used to create a database of IBA Bucharest, which allowed statistical evaluation and temporal evolution assessment. Primary official data on quantitative indicators were reported by the Romanian Ministry of Agriculture to FAO. The data on the evolution of air temperature and precipitation in Romania from 1961 to 2020 were imported from the World Bank Group-Climate Change Knowledge Portal (WBG-CCKP, 2021) and converted from .csv format to Excel format which allowed the statistical analysis and temporal evaluations of factors. IBA Bucharest and Meteo-Romania assessed the quantitative and commercial indicators of wheat harvests and meteorological factors in Romania in the period 1961–2020 using Shell/Linux and Fortran/C++ software codes developed for this research. The statistical and temporal analysis of the crop indicators (cultivated area, production and productivity) and trade indicators (export and import – quantity and value) of wheat showed an evolution which was determined by the climatic conditions and extreme weather events (Gagiú et al., 2023). Moreover, these indicators were influenced by the political, economic and social events in Romania and Europe in the period 1961–2020 (Toma et al., 2010; Miron & Lup, 2015; Feher et al., 2017; Zaman & Georgescu, 2018; Mäkinen et al., 2018; Ivaşcu & Dănuleşiu, 2021; Senapati et al., 2021; OCHA, 2023; Gagiú et al., 2023). The temporal and spatial evolution of qualitative indicators of common wheat harvests in Romania in 2000–2014 was evaluated in the context of the climatic conditions in this period. The annual data of the quality indicators of common wheat were extracted from a total of 12,099 samples (common wheat, durum wheat, triticale and rye) which were analyzed by IBA Bucharest in the Grading Programme in the years 2000–2014 with funding from the Ministry of Agriculture, (Forests) and Rural Development, MA(P)DR (Figure 1) (MAPDR 2000-2009; MADR, 2010-2014;). IBA Bucharest is the MA(P)DR Reference Laboratory for grain analysis, according to Government Decision No. 677 of July 19, 2001, which was updated by Government Decision No. 546 of June 9, 2010 (MAPDR 2000-2009; Romanian Government, 2010; MADR, 2010-2014; Gagiú et al., 2022). The preliminary results showed an annual increase in the areas cultivated with common wheat and the number of wheat samples analyzed, as well as a significant influence of extreme events such as drought and floods on the qualitative indicators of common wheat in the period 2000-2014 (Figure 1) (unpublished data) (MAPDR 2000-2009; MADR, 2010-2014; Bissolli et al., 2011; Green Report, 2011; Schaller *et al.*, 2014; Gagiú *et al.*, 2021, 2022; WBG-CCKP, 2021;

OCHA, 2023). The extensive assessment of the temporal and spatial evolution of the quantitative, qualitative and trade indicators of wheat harvests in Romania in 1961–2020 in the context of climate change will be published soon (Gagiu et al., 202x).



a)



b)

Figure 1. Distribution of grain samples analyzed for quality indicators of crops in Romania in the period 2000–2014 ($N = 12,099$ samples; common wheat, durum wheat, triticale and rye): a) Temporal distribution, b) Geographical and spatial distribution.

The historical data regarding the quantitative, qualitative and commercial indicators of wheat harvests in Romania in the years 1961–2020 and 2000–2014 were foreseen to be correlated with the qualitative indicators of wheat and bread obtained from it in the year 2024

to update the climate influence on the agro-food area. The wheat evaluation was foreseen to be carried out through microbiological, toxicological, physico-chemical and impurity analyses and the weather factors were foreseen will be recorded through the national weather stations. To achieve a correlation with previous studies, a special analysis was mentioned for the localities where common wheat was contaminated with *Fusarium* spp. and deoxynivalenol in the years 2012-2016 (Gagiu et al., 2018, 2021, 2022). Extreme weather events negatively affected the production, productivity and quality of wheat crops, high temperatures and drought led to an increase in protein and starch content, while high precipitation decreased these parameters and increased moisture content with an increase of α -amylase activity; these changes affected the technological baking process and the quality of the bread (Hirano, 1976; Ral et al., 2016; Lama, 2020; Giménez et al., 2021; Poggi et al., 2022; Zahra et al., 2023;). The high gluten content caused a high resistance of the dough and a smaller volume of the bread, which can be improved with baking enzymes or by mixing wheat with special gluten-free cereals (millet, sorghum, buckwheat and amaranth) (Rumler et al., 2023).

The variation of the quantitative and qualitative indicators of common wheat under the influence of current and future climate changes affected the stability of the milling and bakery industry and increased economic uncertainty (Lama, 2020). Therefore, by integrating the historical and current data of the quantitative, qualitative and trade indicators of common wheat, the risk analyses are expected to contribute to the development of the risk envelope in the agri-food sector. Knowing the risk of climate change on crops has facilitated the calculation of financial risks and the purchase of insurance for the sustainability of the agricultural sector (Stojanović et al., 2019; Mare et al., 2022; Dragos et al., 2023;).

The assessment of wheat quality in Romania in the context of climate change contributes to the updating of agri-food technologies and policies, with scientific, technological, economic-social and environmental impacts. The agricultural sector can improve and develop the following adaptation measures and ensure the sustainability of the agri-food system: wheat varieties with superior performance and resistance to climatic conditions and diseases; agricultural technologies according to regional agro-climatic conditions, annually recorded weather events and climate change forecasts; agri-food policies according to scenarios regarding the evolution of the population. A study carried out by the Bill and Melinda Gates Foundation on the global evolution of the population based on fertility, mortality and migration of the inhabitants of 195 countries in the period 2017–2100 showed a decrease in the number of inhabitants in Romania to 7.77 million, but also in Central Europe, Eastern Europe and Western Europe (Vollset et al., 2020). The same study shows that the countries of the Middle East, Central Asia and Africa will register a two- to three-fold increase in population, which means that Romania will be able to increase the export of wheat and other cereals, food and feed if authorities implement measures to prevent the negative effect of climate change at the national level. Between July 2019 and January 2020, Romania's largest wheat exports were made to Egypt, Jordan, Syria, Lebanon, Vietnam and Turkey, which are countries with a significant population growth forecast (G4Media, 2020; Vollset et al., 2020). International organizations and government authorities from all states are involved in the assessment of climate change, trans-border risks resulting from the impact of global climate change, and the adoption and implementation of common measures to prevent and ameliorate negative effects (EEA, 2019, 2021; Arvis et al., 2020; EC, 2022).

The milestones of the research were represented by the creation of databases with crop and trade indicators of wheat in Romania (FAO, 2023), the decennial climate assessment in Romania starting from 1961 until 2020, the acquisition of the main extreme weather events in Romania and Europe from 1961 until now (WBG-CCKP, 2021; OCHA, 2023) and the identification of some political, economic and social factors with a significant impact on the

agricultural sector in Romania (Toma et al., 2010; Miron & Lup, 2015; Feher et al., 2017; Zaman & Georgescu, 2018; Ivaşcu & Dănuleşiu, 2021; Gagişu et al., 2023). Globally, a multi-expertise approach is required to collect sufficient data to improve knowledge, support tools and resilience of the agri-food system (Battilani & Dall'Asta, 2023). Also, research on the influence of climate change on the production, quality and marketing price of cereals and sustainable food consumption contributes to establishing new trends in the agri-food sector from environmental, economic and social perspectives (Testa et al., 2022).

Funding: This research is funded through the Nucleu Programme (Grant no. PN 23 01 03 04) by the Ministry of Research, Innovation and Digitalization.

REFERENCES

- ARVIS, B.; SIMONET, C.; DUBOIS, G.; CERON, J.P.; BOURKANE (RAMBOLL), I. (2020). Consequences of global climate change and their impacts on Europe – a view on agriculture commodities. The report was commissioned by the European Environment Agency (EEA), March 2020, 92 pp. Available from: https://ramboll.com/-/media/files/reh/consequences-of-global-climate-change-and-their-impacts-on-europe_agriculture-commodities_final.pdf?la=en
- BATTILANI, P.; DALL'ASTA, C. (2023). Impact of Host-Fungi-Environment Interaction on Parent and Modified Mycotoxin Co-occurrence. *Toxins*, Doi: <https://mdpi.com/si/102784> (accessed on 20 July 2021)
- BATTILANI, P.; TOSCANO, P.; VAN DER FELLS-KLERX, H.J.; MORETTI, A.; CAMARDO LEGGIERI, M.; BRERA, C.; RORTAIS, A.; GOUMPERIS, T.; ROBINSON, T. (2016). Aflatoxin B1 contamination in maize in Europe increases due to climate change. *Scientific Reports*, 6, 24328. Doi: <https://doi.org/10.1038/srep24328>
- BEN HASSEN, T.; EL BILALI, H. (2022). Impacts of the Russia-Ukraine War on Global Food Security: Towards More Sustainable and Resilient Food Systems? *Foods*, 11, 2301. Doi: <https://doi.org/10.3390/foods11152301>
- BISSOLLI, P.; FRIEDRICH, K.; RAPP, J.; ZIESE, M. (2011). Flooding in eastern central Europe in May 2010—reasons, evolution and climatological assessment. *Weather*, 66, 6, 147-153. <https://doi.org/10.1002/wea.759>
- BUSUIOC, A.; CAIAN, M.; BOJARIU, R.; BORONEANT, C.; BACIU, M.; DUMITRESCU, A. (2012). Scenarii de schimbare a regimului climatic în România pentru perioada 2001–2030 [Scenarios for changing the climate regime in Romania for the period 2001–2030]. Brochure on the website of the Ministry of Environment, Waters and Forests. National Meteorological Administration, Bucureşti 2012, 25 pp. Available from: http://mmediu.ro/new/wp-content/uploads/2014/02/2012-04-23_schimbari_climatice_schimbareregimclimatic2001_2030.pdf
- CHEN, D.; CHEN, H.W. (2013). Using the Köppen classification to quantify climate variation and change: An example for 1901–2010. *Environmental Development*, 6, 69–79. Doi: <https://doi.org/10.1016/j.envdev.2013.03.007>
- COVACI, I.E.; DRAGOMIR, M. (2016). Inundațiile din Moldova de la începutul lunii iunie 2016 [Floods in Moldavia in Early June 2016]. *Revista Științifică a Administrației Naționale de Meteorologie*, Bucureşti, 2016, 14–26. Available from: https://www.meteoromania.ro/wpcontent/uploads/revista_stiintifica/revistastiintifica2016.pdf
- DRAGOS, C.M.; DRAGOS, S.L.; MARE, C.; MURESAN, G.M.; PURCEL, A-A. (2023). Does risk assessment and specific knowledge impact crop insurance underwriting? Evidence from Romanian farmers. *Economic Analysis and Policy*, 79, 343-358, Doi: <https://doi.org/10.1016/j.eap.2023.06.025>.
- EDWARDS, S.G. (2004). Influence of agricultural practices on *Fusarium* infection of cereals and subsequent contamination of grain by trichothecene mycotoxins. *Toxicology Letters*, 153, 29–35. Doi: 10.1016/j.toxlet.2004.04.022

- EGGERT, K.; RAWEL, H.M.; PAWELZIK, E. (2011). In vitro degradation of wheat gluten fractions by Doi: *Fusarium graminearum* proteases. *European Food Research and Technology*, 233, 697–705. <https://doi.org/10.1007/s00217-011-1566-x>
- ELAHI, E.; ZHANG, Z.; KHALID, Z.; XU, H. (2022). Application of an artificial neural network to optimise energy inputs: An energy- and cost-saving strategy for commercial poultry farms. *Energy*, 244, Part B, 123169. Doi: <https://doi.org/10.1016/j.energy.2022.123169>
- EUROPEAN COMMISSION (EC) (2022). Transboundary effects on Europe due to climate impacts in the rest of the world. Available from: https://joint-research-centre.ec.europa.eu/peseta-projects/jrc-peseta-iv/transboundary-effects-europe-due-climate-impacts-rest-world_en (accessed on 28 November 2022)
- EUROPEAN ENVIRONMENT AGENCY (EEA) (2021). *Global climate change impacts and the supply of agricultural commodities to Europe*, Publications Office of the European Union, 2021, <https://data.europa.eu/doi/10.2800/598826> (accessed on 28 November 2022)
- EUROPEAN ENVIRONMENT AGENCY (EEA) (2019). Climate change adaptation in the agriculture sector in Europe 1994-2019. EEA Report No 04/2019, *Publications Office of the European Union*. Doi:10.2800/537176
- FEHER, A.; GOŞA, V.; RAICOV, M.; HARANGUŞ, D.; CONDEA, B.V. (2017). Convergence of Romanian and Europe Union agriculture – evolution and prospective assessment. *Land Use Policy*, 67, 670-678, Doi: <https://doi.org/10.1016/j.landusepol.2017.06.016>
- FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS (FAO) (2023). Crops and livestock products (Production). March 24, 2023, Minor Revision. Faostat Database. Available from: <https://www.fao.org/faostat/en/#data/QCL> (accessed on 26 March 2023)
- FUSCO, G. (2022). Climate Change and Food Security in the Northern and Eastern African Regions: A Panel Data Analysis. *Sustainability*, 14, 19, 12664. Doi: <https://doi.org/10.3390/su141912664>
- GAGIU, V.; CAIAN, M.; DOBRE, A.; OPREA, O.A.; MATEESCU, E.; BELC, N. (2023). Evaluation of the quantitative indicators of wheat crops in Romania in the period 1961–2021 (Poster). Publisher: University of Agronomic Sciences and Veterinary Medicine of Bucharest, Faculty of Agriculture, Romania; and CERES Publishing House Bucharest, Romania. Book of Abstracts, p. 179, International Conference “*Agriculture for Life, Life for Agriculture*”, Section 1: Agronomy. ISSN-L 2457-3205. Available from: https://agricultureforlife.usamv.ro/images/2023/Book_of_Abstracts/Agronomy_Book_of_Abstract_2023.pdf (accessed on 10 July 2023)
- GAGIU, V.; MATEESCU, E.; BELC, N.; OPREA, O.A.; PÎRVU, G.P. (2022). Assessment of *Fusarium*-Damaged Kernels in Common Wheat in Romania in the Years 2015 and 2016 with Extreme Weather Events. *Toxins*, 14, 326. Doi: <https://doi.org/10.3390/toxins14050326>
- GAGIU, V.; MATEESCU, E.; DOBRE, A.A.; SMEU, I.; CUCU, M.E.; OPREA, O.A.; ALEXANDRU, D.; IORGA, E.; BELC, N. (2021). Deoxynivalenol occurrence in triticale crops in Romania during the 2012–2014 period with extreme weather events. *Toxins*, 13, 7, 456. Doi: [10.3390/toxins13070456](https://doi.org/10.3390/toxins13070456)
- GAGIU, V.; MATEESCU, E.; ARMEANU, I.; DOBRE, A.A.; SMEU, I.; CUCU, M.E.; OPREA, O.A.; IORGA, E.; BELC, N. (2018). Post-Harvest Contamination with Mycotoxins in the Context of the Geographic and Agroclimatic Conditions in Romania. *Toxins*, 10, 12, 533. Doi: <https://doi.org/10.3390/toxins10120533>
- GARCÍA-BERNÁ, J.A.; OUHBI, S.; BENMOUNA, B.; GARCÍA-MATEOS, G.; FERNÁNDEZ-ALEMÁN, J.L.; MOLINA-MARTÍNEZ, J.M. (2020). Systematic Mapping Study on Remote Sensing in Agriculture. *Applied Sciences*, 10, 3456. Doi: <https://doi.org/10.3390/app10103456>
- GIMÉNEZ, V.D.; SERRAGO, R.A.; GARCÍA, G.A.; MIRALLES, D.J. (2021). How milling and breadmaking quality are modified by warmer nights in wheat? *Journal of Cereal Science*, 102, 103343. Doi: <https://doi.org/10.1016/j.jcs.2021.103343>.
- GÓRAL, T.; WIŚNIEWSKA, H.; OCHODZKI, P.; NIELSEN, L. K.; WALENTYN-GÓRAL, D.; STEPIEŃ, Ł. (2019). Relationship between *Fusarium* Head Blight, Kernel Damage, Concentration of *Fusarium* Biomass, and *Fusarium* Toxins in Grain of Winter Wheat Inoculated with *Fusarium culmorum*. *Toxins*, 11, 2. Doi: <https://doi.org/10.3390/toxins11010002>

- GREEN REPORT (2021). Apa care distruge. Romania, in zodia neagra a inundatiilor [Water that destroys. Romania, in the black zodiac of floods]. Published on 31 July 2011. *Green Report*, București, Romania [c2007 – 2023]. Available from: <https://green-report.ro/apa-care-distruge-romania-zodia-neagra-inundatiilor/> (accessed on 5 July 2023)
- G4MEDIA (2020). România exporta cel mai mult grâu în Egipt. Care sunt celelalte țări care ne-au cumpărat grânele, în ultimii ani [Romania exported the most wheat to Egypt. What are the other countries that have bought our grains in recent years]. Publicat pe 11 aprilie 2020. *G4Media*, București, Romania (c2000-2023). Available from: <https://www.g4media.ro/romania-exporta-cel-mai-mult-grau-in-egipt-care-sunt-celelalte-tari-care-ne-au-cumparat-granele-in-ultimii-ani.html> (accessed on 28 November 2022)
- HARA, P.; PIEKUTOWSKA, M.; NIEDBAŁA, G. (2021). Selection of Independent Variables for Crop Yield Prediction Using Artificial Neural Network Models with Remote Sensing Data. *Land*, 10, 609. <https://doi.org/10.3390/land10060609>
- HIRANO, J. (1974). Effects of rain in ripening period on the grain quality of wheat. *Japan Agricultural Research Quarterly*, 10(4), 168-173. Available from: <https://www.jircas.go.jp/en/publication/jarq/10/4/168>
- HORN, B.; FERREIRA, C.; KALANTARI, Z. (2022). Links between food trade, climate change and food security in developed countries: A case study of Sweden. *Ambio*, 51, 943–954. Doi: <https://doi.org/10.1007/s13280-021-01623-w>
- INTERNATIONAL ASSOCIATION FOR CEREAL SCIENCE AND TECHNOLOGY (ICC) (1994a). ICC Standard No 155, 1994. Determination of Wet Gluten Quantity and Quality (Gluten Index ac. to Perten) of Whole Wheat Meal and Wheat Flour (*Triticum aestivum*). *International Association for Cereal Science and Technology*. Available from: <https://icc.or.at/publications/icc-standards/standards-overview/155-standard-method>
- INTERNATIONAL ASSOCIATION FOR CEREAL SCIENCE AND TECHNOLOGY (ICC) (1994b). ICC Standard No 123/1, 1994. Determination of Starch Content by Hydrochloric Acid Dissolution. *International Association for Cereal Science and Technology*. Available from: <https://icc.or.at/publications/icc-standards/standards-overview/123-1-standard-method>
- INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) (2019). ISO 7971–3:2019 Cereals. Determination of Bulk Density, Called Mass per Hectolitre. Part 3: Routine Method; *International Organization for Standardization*, Geneva, Switzerland, 2019, 19 pp. <https://www.iso.org/standard/70015.html>
- INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) (2013). ISO 20483:2013 Cereals and Pulses—Determination of the Nitrogen Content and Calculation of the Crude Protein Content—Kjeldahl Method. *International Organization for Standardization*, Geneva, Switzerland, <https://www.iso.org/standard/59162.html>
- INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) (2009b). ISO 3093:2009 Wheat, Rye and Their Flours, Durum Wheat and Durum Wheat Semolina—Determination of the Falling Number According to Hagberg-Perten. *International Organization for Standardization*, Geneva, Switzerland. Available from: <https://www.iso.org/standard/54114.html>
- INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) (2009a). ISO 712:2009 Cereals and Cereal Products. Determination of Moisture Content. Reference Method. *International Organization for Standardization*, Geneva, Switzerland. Available from: <https://www.iso.org/standard/44807.html>
- INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) (2007). ISO 5529:2007 Wheat—Determination of the Sedimentation Index—Zeleny Test. *International Organization for Standardization*, Geneva, Switzerland. Available from: <https://www.iso.org/standard/40524.html>
- IVAȘCU, C.; DĂNULEȚIU, A.E. (2021). Structural Developments in Agricultural Activity after Romania's Accession to the European Union. “Ovidius” *University Annals, Economic Sciences Series*, XXI(2), 142-152. Available from: <https://stec.univ-ovidius.ro/html/anale/RO/2021-2/Section%201%20and%202/20.pdf>

- JAVOID, M.; ABID HALEEM, A.; KHAN, I.H.; SUMA, R. (2023). Understanding the potential applications of Artificial Intelligence in Agriculture Sector. *Advanced Agrochem*, 2, 1, 15-30. Doi: <https://doi.org/10.1016/j.aac.2022.10.001>.
- KHADKA, K.; EARL, H.J.; RAIZADA, M.N.; NAVABI, A. (2020). A Physio-Morphological Trait-Based Approach for Breeding Drought Tolerant Wheat. *Frontiers in Plant Science*, 11, 26. Doi: <https://doi.org/10.3389/fpls.2020.00715>
- KREUZBERGER, M.; LIMSUWAN, S.; EGGERT, K.; KARLOVSKY, P.; PAWELZIK, E. (2015). Impact of *Fusarium* spp. infection of bread wheat (*Triticum aestivum* L.) on composition and quality of flour in association with EU maximum level for deoxynivalenol. *Journal of Applied Botany and Food Quality*, 88, 177–185. Doi: <https://doi.org/10.5073/JABFQ.2015.088.025>
- LAMA, S. (2020). Bread-making quality in a changing climate: In search of climate stable genotypes and robust screening methods for wheat. *Introductory paper at the faculty of Landscape Architecture, Horticulture and Crop Production Sciences*, 3, 51 pp. Available from: <https://publications.slu.se/?file=publ/show&id=108922> (accessed on 12 September 2023)
- LONG, X-X.; JU, H.; WANG, J-D.; GONG, S-H; LI, G-Y. (2022). Impact of climate change on wheat yield and quality in the Yellow River Basin under RCP8.5 during 2020–2050. *Advances in Climate Change Research*, 13, 3, 397-407. Doi: <https://doi.org/10.1016/j.accre.2022.02.006>
- MARE, C.; MANAȚE, D.; MUREȘAN, G.-M.; DRAGOȘ, S.L.; DRAGOȘ, C.M.; PURCEL, A.-A. (2022). Machine Learning Models for Predicting Romanian Farmers' Purchase of Crop Insurance. *Mathematics*, 10, 3625. Doi: <https://doi.org/10.3390/math10193625>
- MATEESCU, E. (2016). The Romanian agrometeorological services and products—Current status and challenges in the context of climate change. In Proceedings of the Workshop Agrometeorologists for Farmers in Hotter, Drier, Wetter Future, Ljubljana, Slovenia, 9–10 Nov. 2016. Available from: http://www.dmcsee.org/uploads/file/405_6_elenamateescu.pdf (accessed on 15 October 2022)
- MATHENGE, M.; SONNEVELD, B.G.J.; BROERSE, J.E. (2020). A Spatially Explicit Approach for Targeting Resource-Poor Smallholders to Improve Their Participation in Agribusiness: A Case of Nyandoand Vihiga County in Western Kenya. *International Society for Photogrammetry and Remote Sensing - International Journal of Geo-Information*, 9, 612. Doi: <https://doi.org/10.3390/ijgi9100612>
- MÄKINEN, H.; KASEVA, J.; TRNKA, M.; BALEK, J.; KERSEBAUM, K.C.; NENDEL, C.; GOBIN, A.; OLESEN, J.E.; BINDI, M.; FERRISE, R.; MORIONDO, M.; RODRÍGUEZ, A.; RUIZ-RAMOS, M.; TAKÁČ, J.; BEZÁK, P.; VENTRELLA, D.; RUGET, F.; CAPELLADES, G.; KAHILUOTO, H. (2018). Sensitivity of European wheat to extreme weather. *Field Crops Research*, 222, 209-217. Doi: <https://doi.org/10.1016/j.fcr.2017.11.008>
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2017). MANUAL din 5 iulie 2017 de Gradare Pentru Seminte de Consum [MANUAL of 5 July 2017 Grading for Consumer Seeds]. Publicat în Monitorul Oficial nr. 537 bis din 10 iulie 2017. Available from: <http://legislatie.just.ro/Public/DetaliiDocumentAfis/192063> (accessed on 1 February 2022).
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2014). Calitatea Grânelor din Recolta 2014. Catalog Nr. 19. [Quality of Grains from the 2014 Harvest. Catalogue No. 19]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare. ISSN 2285-7524, ISSN-L 2285-7524, 2014, 198 pp.
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2013). Calitatea Grânelor din Recolta 2013, Catalog Nr. 18 [Quality of Grains from the 2013 Harvest. Catalogue No. 18]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare, 2013, 176 pp.
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2012). Calitatea Grânelor din Recolta 2012, Catalog Nr. 17. [Quality of Grains from the 2012 Harvest. Catalogue No. 17]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare, Editura Printech, București, ISSN 2285-7524, ISSN-L 2285-7524, 2012, 173 pp.
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2011). Calitatea Grânelor din Recolta 2011, Catalog Nr. 16 [Quality of Grains from the 2011 Harvest. Catalogue No. 16]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare, Editura Printech, București, ISBN 978-606-521-747-8, 2011, 141 pp.

- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2010). Calitatea Grânelor din Recolta 2010, Catalog Nr. 15. [Quality of Grains from the 2010 Harvest. Catalogue No. 15]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare, Editura Tipografia Dancris, București, 2010, 136 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2009). Calitatea Grânelor din Recolta 2009, Catalog Nr. 14 [Quality of Grains from the 2009 Harvest. Catalogue No. 14]. Institutul Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare, București, 2009, 130 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2008). Calitatea Grânelor din Recolta 2008, Catalog Nr. 13 [Quality of Grains from the 2008 Harvest. Catalogue No. 13]. Institutul de Bioresurse Alimentare. Ed. Do&Do Press and Printing, București, ISBN 978-973-88314-8-3, 2008, 130 pp.
- MINISTERUL AGRICULTURII ȘI DEZVOLTĂRII RURALE (MADR) (2007). Calitatea Grânelor din Recolta 2007, Catalog Nr. 12 [Quality of Grains from the 2007 Harvest. Catalogue No. 12]. Institutul de Bioresurse Alimentare. București, 2007, 127 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2006). Calitatea Grânelor din Recolta 2006, Catalog Nr. 11 [Quality of Grains from the 2006 Harvest. Catalogue No. 11]. Institutul de Bioresurse Alimentare. Editura Printech, București, ISBN 978-973-718-535-8, 2006, 128 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2005). Calitatea Grânelor din Recolta 2005, Catalog Nr. 10 [Quality of Grains from the 2005 Harvest. Catalogue No. 10]. Institutul de Bioresurse Alimentare. București, 2005, 124 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2004). Calitatea Grânelor din Recolta 2004, Catalog Nr. 9 [Quality of Grains from the 2004 Harvest. Catalogue No. 9]. Institutul de Bioresurse Alimentare, București, 2004, 113 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2003). Calitatea Grânelor din Recolta 2003, Catalog Nr. 8 [Quality of Grains from the 2003 Harvest. Catalogue No. 8]. Institutul de Bioresurse Alimentare, București, 2003, 104 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2002). Calitatea Grânelor din Recolta 2002, Catalog Nr. 7 [Quality of Grains from the 2002 Harvest. Catalogue No. 7]. Institutul de Bioresurse Alimentare, București, 2002, 112 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2001). Calitatea Grânelor din Recolta 2001, Catalog Nr. 6 [Quality of Grains from the 2001 Harvest. Catalogue No. 6]. Institutul de Bioresurse Alimentare, București, 2001, 110 pp.
- MINISTERUL AGRICULTURII, PĂDURILOR ȘI DEZVOLTĂRII RURALE (MAPDR) (2000). Calitatea Grânelor din Recolta 2000, Catalog Nr. 5 [Quality of Grains from the 2000 Harvest. Catalogue No. 5]. Institutul de Bioresurse Alimentare, București, 2000, 108 pp.
- MIRON, L.; LUP, A. (2015). The performances of Romanian agriculture, given the resources allotted in the socialist agricultural system, compared to the market economy. The University of Constantza, 20 November 2015, *Munich Personal RePEc Archive (MPRA)*, Paper No. 69326. Available from: https://mpr.ub.uni-muenchen.de/69326/1/MPRA_paper_69326.pdf
- NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (2021). Impact of Climate Change on Global Wheat Yields. Visualizations by Mark SubbaRao, Released on 1 September 2021. Available from: <https://svs.gsfc.nasa.gov/cgi-bin/details.cgi?aid=4914>
- NÄTHER, M.; THEUVSEN, L. (2012). Risikomanagement im Pferdebetrieb. Goettingen, Germany, 2012. Available from: https://www.rentenbank.de/export/sites/rentenbank/dokumente/Leitfaden_Pferdebetriebe.pdf
- NIȚU, F. (2022a). România conduce topul exportatorilor de grâu din zona Mării Negre și UE [Romania leads the top of wheat exporters from the Black Sea area and the EU]. *Ziarul Financiar* din 18 Ianuarie 2022. Available from: <https://www.mediafax.ro/economic/granarul-europei-romania-conduce-topul-exportatorilor-de-grau-din-zona-marii-negre-si-din-ue-20466218>
- NIȚU, F. (2022b). Primele estimări privind producția de grâu din România, țară aflată pe locul 4 în UE. România va recolta 9 mil. tone de grâu în acest an, cu 25% mai puțin față de anul trecut, dar prețul îi

- ajută pe fermieri [The first estimates regarding wheat production in Romania, a country ranked 4th in the EU. Romania will harvest 9 million tons of wheat this year, 25% less than last year, but the price helps the farmers]. *Ziarul Financiar* din 27.07.2022. Available from: <https://www.zf.ro/companii/retail-agrobusiness/primele-estimari-privind-productia-grau-romania-tara-aflata-locul-4-21035503>
- OPREA, O.-A.; MATEESCU, E.; BARBU, A.; TUDOR, R. (2018). Extreme dry years in the 21st century at the level of the agricultural areas of Muntenia, Romania. *Scienco*, 1, 101–109. Doi: <https://doi.org/10.2478/alife-2018-0015>.
- PASQUALI, M.; BEYER, M.; LOGRIECO, A.; AUDENAERT, K.; BALMAS, V.; BASLER, R.; BOUTIGNY, A.-L.; CHRPOVÁ, J.; CZEMBOR, E.; GAGKAEVA, T.; GONZÁLEZ-JAÉN, M.T.; HOFGAARD, I.S.; KÖYÇÜ, N.D.; HOFFMANN, L.; LEVIĆ, J.; MARIN, P.; MIEDANER, T.; MIGHELI, Q.; MORETTI, A.; MÜLLER, M.E.H.; MUNAUT, F.; PARIKKA, P.; PALLEZ-BARTHEL, M.; PIEC, M.J.; SCAUFLAIRE, J.; SCHERM, B.; STANKOVIĆ, S.; THRANE, U.; UHLIG, S.; ADRIAAN VANHEULE, A.; TAPANI YLI-MATTILA, T.; VOGELGSANG, S. (2016). A European Database of *Fusarium graminearum* and *F. culmorum* Trichothecene Genotypes. *Frontiers in Microbiology*, 7, 406. Doi: <https://doi.org/10.3389/fmicb.2016.00406>
- PĂLTINEANU, C.; MIHĂILESCU, I.F.; SECELEANU, I.; DRAGOTĂ, C.; VASENCIUC, F. (2007). Using aridity indices to describe some climate and soil features in Eastern Europe: A Romanian case study. *Theoretical and Applied Climatology*, 90, 263–274, Doi: <https://doi.org/10.1007/s00704-007-0295-3>
- PICKSON, R.B.; BOATENG, E. (2022). Climate change: a friend or foe to food security in Africa? *Environment, Development and Sustainability*, 24, 4387–4412. Doi: <https://doi.org/10.1007/s10668-021-01621-8>
- POGGI, G.M.; ALOISI, I.; CORNETI, S.; ESPOSITO, E.; NALDI, M.; FIORI, J.; PIANA, S.; VENTURA, F. (2022). Climate change effects on bread wheat phenology and grain quality: a case study in the north of Italy. *Frontiers in Plant Science*, 13, 936991. Doi: <https://doi.org/10.3389/fpls.2022.936991>
- POLIFRONIE, E.M. (2014). Luna iulie 2014—A patra cea mai ploioasă din ultimii 50 de ani [July 2014—The fourth rainiest in the last 50 Years]. *Revista Științifică a Administrației Naționale de Meteorologie, București* 2014, 42–57. Available from: <https://www.meteoromania.ro/despre-noi/cercetare/revista-stiintifica/revista-stiintifica-2014/>
- PREISS, M.; VOGT, J.H.-M.; DREHER, C.; SCHREINER, M. (2022). Trends Shaping Western European Agrifood Systems of the Future. *Sustainability*, 14(21), 13976. Doi: <https://doi.org/10.3390/su142113976>
- PURI, S.; SHINGH, S.; TIWARI, P. (2019). Mycotoxins: A Threat to Food Security and Health. *International Journal of Applied Sciences and Biotechnology*, 7, 3, 298-303. DOI: 10.3126/ijasbt.v7i3.24651
- RAL, J.P.; WHAN, A.; LARROQUE, O.; LEYNE, E.; PRITCHARD, J.; DIELEN, A.S.; HOWITT, C.A.; MORELL, M.K.; NEWBERRY, M. (2016). Engineering high α -amylase levels in wheat grain lowers Falling Number but improves baking properties. *Plant Biotechnology Journal*, 14, 1, 364-76. Doi: 10.1111/pbi.12390.
- ROMANIAN GOVERNMENT (2010). HOTĂRÂRE nr.546 din 9 iunie 2010 privind înființarea, organizarea și funcționarea Institutului Național de Cercetare-Dezvoltare pentru Bioresurse Alimentare - IBA București și pentru modificarea anexei nr. 3 la Hotărârea Guvernului nr. 1.705/2006 pentru aprobarea inventarului centralizat al bunurilor din domeniul public al statului [DECISION no.546 of June 9, 2010 regarding the establishment, organization and operation of the National Research and Development Institute for Food Bioresources - IBA Bucharest and for the modification of annex no. 3 to Government Decision no. 1,705/2006 for the approval of the centralized inventory of goods in the public domain of the state]. Guvernul României, Camera Deputatilor, București, Romania. Publicat in Monitorul Oficial nr. 452 din 2 Iulie 2010. Available from: https://www.cdep.ro/pls/legis/legis_pck.htm?act?ida=97399 (accessed on 18 September 2022)
- RUMLER, R.; BENDER, D.; SCHOENLECHNER, R. (2023). Mitigating the Effect of Climate Change within the Cereal Sector: Improving Rheological and Baking Properties of Strong Gluten Wheat Doughs by Blending with Specialty Grains. *Plants*, 12, 492. Doi: <https://doi.org/10.3390/plants12030492>

- SCHALLER, N.; OTTO, F.E.L.; VAN OLDENBORGH, G.J.; MASSEY, N.R.; PRARROW, S.; ALLEN, M.R. (2014). The heavy precipitation event of May–June 2013 in the Upper Danube and Elbe basins. *Bulletin of the American Meteorological Society*, 95, S69–S72. Available from: <https://www.knmi.nl/kennis-en-datacentrum/publicatie/the-heavy-precipitation-event-of-may-june-2013-in-the-upper-danube-and-elbe-basins>
- SCHMIDT, M.; HORSTMANN, S.; DE COLLI, L.; DANAHER, M.; SPEER, K.; ZANNINI, E.; ARENDT, E. K. (2016). Impact of fungal contamination of wheat on grain quality criteria. *Journal of Cereal Science*, 69, 95–103. Doi: <https://doi.org/10.1016/j.jcs.2016.02.010>
- SENAPATI, N.; HALFORD, N.G.; SEMENOV, M.A. (2021). Vulnerability of European wheat to extreme heat and drought around flowering under future climate. *Environmental Research Letters*, 16, 024052, Doi:10.1088/1748-9326/abdcd3
- SIUDA, R.; GRABOWSKI, A.; LENC, L.; RALCEWICZ, M.; SPYCHAJ-FABISIAK, E. (2010). Influence of the degree of fusariosis on technological traits of wheat grain. *International Journal of Food Science & Technology*, 45, 2596–2604. Doi: <https://doi.org/10.1111/j.1365-2621.2010.02438.x>
- STEPHENSON, D.B. (2008). Definition, diagnosis, and origin of extreme weather and climate events. In *Climate Extremes and Society*; Diaz, H.F., Murnane, R.J., Eds.; Cambridge University. Press: Cambridge, United Kingdom, 11–23. Available from: <https://empslocal.ex.ac.uk/people/staff/dbs202/publications/2008/extremes.pdf>
- STOJANOVIĆ, Ž.; RAKONJAC-ANTIĆ, T.; KOPRIVICA, M. (2019). Farmers' willingness to purchase crop insurance: evidence from wheat and raspberry sectors in Serbia. *Economics of Agriculture*, 66, 4, 1107–1125, Doi:10.5937/ekoPolj1904107S
- TAMBA-BEREHOIU, R.M.; POPA, C.N.; POPESCU, S.; SUCIU, A. (2012). The effect of the *Fusarium* sp. attack on the quality parameters of Romanian wheat. *Scientific Bulletin Series F. Biotechnologies*, 16, 73–76. Available from: <http://biotechnologyjournal.usamv.ro/index.php/scientific-papers/88-art13>
- TESTA, R.; MIGLIORE, G.; SCHIFANI, G.; TÓTH, J. (2022). New Trends in Agri-Food Sector: Environmental, Economic and Social Perspectives. *Sustainability*, Doi: <https://www.mdpi.com/topics/agrifood#information>
- TOMA, E.; DACHIN, A.; AILENEI, D.; ANGELESCU, C.; HURU, D.; MOLĂNESCU, G.; SOCOL, C.; SOCOL, A. (2010). Agricultura României în procesul de integrare europeană: evaluări și prognoze [Romania's agriculture in the process of European integration: evaluations and forecasts]. *Editura Ars Academica*, București, 110 pp. ISBN: 978-606-8017-55-6. Available from: https://www.researchgate.net/publication/235988280_Agricultura_Romaniei_in_procesul_de_integrare_europeana_vol_I
- UNITED NATIONS OFFICE FOR THE COORDINATION OF HUMANITARIAN AFFAIRS (OCHA) (2023). Romania: Floods. Available online: <https://reliefweb.int/disaster> (accessed on 15 May 2023)
- VOJNOV, B.; JAĆIMOVIĆ, G.; ŠEREMEŠIĆ, S.; PEZO, L.; LONČAR, B.; KRSTIĆ, Đ.; VUJIĆ, S.; ČUPINA, B. (2022). The Effects of Winter Cover Crops on Maize Yield and Crop Performance in Semiarid Conditions—Artificial Neural Network Approach. *Agronomy*, 12, 2670. Doi: <https://doi.org/10.3390/agronomy12112670>
- VOLLSET, S.E.; GOREN, E.; YUAN, C.-W.; CAO, J.; SMITH, A.E.; HSIAO, T.; BISIGNANO, C.; AZHAR, G.S.; CASTRO, E.; CHALEK, J.; DOLGERT, A.J.; FRANK, T.; FUKUTAKI, K.; HAY, S.I.; LOZANO, R.; MOKDAD, A.H.; NANDAKUMAR, V.; PIERCE, M.; PLETCHER, M.; ROBALIK, T.; STEUBEN, K.M.; WUNROW, H.Y.; ZLAVOG, B.S.; MURRAY, C.J.L. (2020). Fertility, mortality, migration, and population scenarios for 195 countries and territories from 2017 to 2100: a forecasting analysis for the Global Burden of Disease Study. *Global Health Metrics. Lancet*, 396, 1285–306. Doi: [https://doi.org/10.1016/S0140-6736\(20\)30677-2](https://doi.org/10.1016/S0140-6736(20)30677-2)
- ZAHRA, N.; HAFEEZ, M.B.; WAHID, A.; AL MASRURI, M.H.; ULLAH, A.; SIDDIQUE, K.H.M.; FAROOQ, M. (2023). Impact of climate change on wheat grain composition and quality. *Journal of the Science of Food and Agriculture*, 103, 6, 2745–2751. Doi: 10.1002/jsfa.12289

- ZAMAN, GH.; GEORGESCU, G. (2018). A retrospective study on Roumania's external trade in the past 100 years. *Munich Personal RePEc Archive*, 89707. Available from: <https://mpra.ub.uni-muenchen.de/89707/>
- WANG, J.H.; PAWELZIK, E.; WEINERT, J.; WOLF, G.A. (2005). Impact of *Fusarium culmorum* on the polysaccharides of wheat flour. *Journal of Agricultural and Food Chemistry*, 53, 5818–5823. Doi: <https://doi.org/10.1021/jf050525g>.
- WEISS, M.; JACOB, F.; DUVEILLER, G. (2020). Remote sensing for agricultural applications: A meta-review. *Remote Sensing of Environment*, 236, 111402. Doi: <https://doi.org/10.1016/j.rse.2019.111402>
- WEST, J.S.; HOLDGATE, S.; TOWNSEND, J.A.; EDWARDS, S.G.; JENNINGS, P.; FITT, B.D. (2012). Impacts of changing climate and agronomic factors on *Fusarium* Ear Blight of wheat in the UK. *Fungal Ecology*, 5, 53–61. Doi: <https://doi.org/10.1016/j.funeco.2011.03.003>
- WORLD BANK (WB) (2010). World Development Report 2010: Development and Climate Change. *The International Bank for Reconstruction and Development*, Washington DC, USA, 439 pp. Doi:10.1596/978-0-8213-7989-5
- WORLD BANK GROUP-CLIMATE CHANGE KNOWLEDGE PORTAL (WBG-CCKP) (2021). Climate change knowledge portal for development practitioners and policymakers. Download Data. Available from: <https://climateknowledgeportal.worldbank.org/download-data> (accessed on 15 September 2022)
- WORLD FOOD PROGRAMME (WFP) (2022). War in Ukraine Drives Global Food Crisis. Hungry world at critical crossroads. Report - 8 pp, 24 June 2022. *World Food Programme*, Rome, Italy. Available from: <https://www.wfp.org/publications/war-ukraine-drives-global-food-crisis>
- WORLD GRAIN (WG) (2022). Russia sets conditions for grain deal extension. By Arvin Donley, 24 June 2022. *Sosland Publishing*. Available from: <https://www.world-grain.com/articles/17732-russia-sets-conditions-for-grain-deal-extension>